80PO

IMPORTANT SAFETY RULES

Read, understand, and follow all instructions carefully before installing and using this product.

Floating Surface Skimmer



Don't forget to try these other fine Intex products: pools, pool accessories, inflatable pools and in-home toys, airbeds and boats available at fine retailers or visit our website.



IMPORTANT! DO NOT RETURN PRODUCT TO STORE

To purchase parts and accessories or to obtain non-technical assistance,

Visit www.intexcorp.com

For technical assistance and missing parts call us toll-free (for U.S. and Canadian Residents):

1-800-234-6839

Monday through Friday, 8:30am to 5:00pm Pacific Time

080-*PO-R1-1211

English 80PO

| | ٧, | ~ |) |
|----|----|---|---|
| li | Ĺ | | |
| Ŀ | | | |
| ŀ | | _ | |
| В | | 7 | |
| Ш | Ш | Ш | |
| П | 4 | | |
| В | | | |
| ŀ | | _ | |
| | = | | |
| | | |) |
| 14 | | | |
| ľ | | | |
| L | | | |
| п | ш | Ц | |
| | = | | |
| | | | |
| | | | |
| П | Ц | Ц | |
| г | | ī | i |
| Ľ | | | |
| | _ | | |
| | | | |
| | | 1 | |
| П | 4 | | |

| Warnings | 3 |
|--|-----|
| Parts List & Reference | 4 |
| Hook Assembly for Easy-Set [®] Pools with Inflatable Top Rings | 5 |
| Hook Assembly for Metal Frame Pools & Sequoia Spirit [®] Pool sets | 6 |
| Setup Instructions | 7-9 |
| Long Term Storage | 10 |
| General Aquatic Safety | 10 |
| Intex Service Center Locations | 11 |

80PO

IMPORTANT SAFETY RUI

Read, Understand and Follow All Instructions Carefully Before Installing and Using this Product

WARNING

- DO NOT PERMIT CHILDREN TO USE THIS PRODUCT. ADULT USE ONLY
- DO NOT OPERATE THE FILTER PUMP WHILE THE POOL IS OCCUPIED OR IN USE.
- STRONG SUCTION. DO NOT REMOVE OR OBSTRUCT THE FLOATING COVER OPENING WHILE THE FILTER PUMP IS OPERATING!
- KEEP HANDS AND HAIR AWAY FROM THE SKIMMER AND FLOATING COVER OPENING WHEN THE FILTER PUMP IS OPERATING!
- TURN OFF OR UNPLUG THE FILTER PUMP BEFORE ADJUSTING, CLEANING, SERVICING OR REMOVING THE SKIMMER, BASKET OR FLOATING COVER.
- REMOVE ALL MAINTENANCE ITEMS WHEN THE POOL IS IN USE.

FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN PROPERTY DAMAGE, ELECTRIC SHOCK, SERIOUS INJURY, DROWNING OR DEATH.

These product warnings, instructions and safety rules provided with the product represent some common risks of water recreation devices and do not cover all instances of risk and danger. Please use common sense and good judgement when enjoying any water activity.

Filter Pump Flow Rate Requirement:


600 - 5000 gallons/hour (2270 - 18925 liters/hour)

SAFETY RULE

80PO

PARTS REFERENCE

Before assembling your product, please take a few minutes to check the contents and become familiar with all the parts.



NOTE: Drawings for illustration purpose only. Actual product may vary. Not to scale.


| REF. NO. | | | | | SPARE | |
|-----------------------------------|---------------|--------------------------------|--------|---------------------------|-------|-----------|
| EASY- SET [®] POOL | FRAME POOL | SEQUOIA SPIRIT® POOL SET | COMMON | DESCRIPTION | QTY. | PARTS NO. |
| | | | 1 | FLOATING COVER | 1 | 10523 |
| | | | 2 | BASKET HANDLE | 1 | 10534 |
| | | | 3 | BASKET | 1 | 10524 |
| | | | 4 | SKIMMER | 1 | 10525 |
| | | | 5 | SCREW | 1 | 10526 |
| | | | 6 | DEPTH ADJUSTER | 1 | 10522 |
| 7 | | | | HOOK (OPTIONAL) | 1 | 10521 |
| 8 | | | | ARM (OPTIONAL) | 1 | 10520 |
| | 9 | | | FRAME HOOK (OPTIONAL) | 1 | 11502 |
| | | | 10 | SKIMMER HOSE | 1 | 10531 |
| | | | 11 | HOSE ADAPTOR B | 1 | 11238 |
| | | 12 | | TOP BOARD HOOK (OPTIONAL) | 1 | 11153 |

80PO


HOOK ASSEMBLY FOR EASY SET® POOLS WITH INFLATABLE TOP RINGS

NOTE: If you are using METAL FRAME POOL or SEQUOIA SPIRIT® POOL SET, go to Step #5.

Connect the Skimmer Hose (10) to the Skimmer (4) bottom connector.




Assemble the hook as shown. Adjust the opening of the Hook (7) by pressing and sliding the Arm (8) at the same time.



Loosen the Skimmer Screw (5), attach the assembled hook and hand tighten the Screw.


NOTE: Do not over tighten or use tools such as pliers.



Place the whole assembled hook unit over the top of an

EASY-SET[®] Pool Top Ring near the water inlet connector (lower hose connection). Adjust the hook **(8)** to be snug around the

inflated ring (see step #2). Ensure the hook is securely tightened over the pool.



SKIP TO STEP 9


SAVE THESE INSTRUCTIONS

sh 80PO


HOOK ASSEMBLY FOR METAL FRAME POOLS AND SEQUOIA SPIRIT® POOL SETS

5

Connect the Skimmer Hose (10) to the Skimmer (4) bottom connector.




Assemble the hook as shown.



Loosen the Skimmer Screw (5), attach the assembled hook and hand tighten the Screw




Place the whole assembled hook unit over the top of a FRAME Pool Top Beam near the water inlet connector (lower hose connection). Adjust the hook by adjusting the two dove-tail screws, to be tight on the top beam.



80PO

ASSEMBLY FOR EASY SET® AND METAL FRAME POOLS

For pool size 16' (488 cm) and below: Unscrew the Strainer Grid from the Threaded Strainer Connector (lower) from inside of the Easy Set® or Metal Frame pool.



METAL FRAME POOL

Depending on the size of pool purchased.


For 16' (488 cm) and below pools with Strainer

а



Screw the Hose Adaptor B (11) to the Threaded Strainer Connector, from inside of the pool.

h



Connect the other end of the Skimmer Hose (10) to the Hose Adaptor B (11).

For 18' (549 cm) and above pools with Large Strainer

а



Screw the Hose Adaptor B (11) to the Threaded Strainer Connector, from inside of the pool.



Connect the other end of the Skimmer Hose (10) to the Hose Adaptor B (11).


SAVE THESE INSTRUCTIONS

80PO

ASSEMBLY FOR EASY SET® AND METAL FRAME POOLS

11

Place the Basket (3) and the Floating Cover (1) into the Skimmer (4).



EASY-SET® POOL


METAL FRAME POOL

12


Adjust the height of the skimmer if necessary. The Floating Cover (1) should be floating off the Skimmer (4) by 1" to 4.5" (2.5cm to 11.4cm). Also ensure the top of the Floating Cover is parallel with the water surface.



EASY-SET® POOL



METAL FRAME POOL



SEQUOIA SPIRIT® POOL SET

IMPORTANT: The surface skimmer must be perpendicular to the water surface at all times. Adjust the surface skimmer position if necessary.

80PO

ASSEMBLY FOR EASY SET® AND METAL FRAME POOLS

13

WARNING

- Do not operate the filter pump while the pool is occupied or in use.
- Strong suction. Do not remove or obstruct the floating cover opening while the filter pump is operating!
- Keep hands and hair away from the skimmer and floating cover opening when the filter pump is operating!
- Turn off or unplug the filter pump before adjusting, cleaning, servicing or removing the skimmer, basket or floating cover.
- Set up the Filter Pump following the Filter Pump owner's manual. Turn on or connect the filter pump to an electrical outlet.

IMPORTANT

If no water is flowing into the pump, make sure that the surface skimmer is perpendicular to the water surface and below the water surface. Open the air release valve located on the filter housing top cover. When water starts to flow out, close the air release valve back.

Never run the pump dry as the motor may overheat and damage the pump!

- Remove the skimmer and the hook assembly from the pool before placing a pool cover over the pool.
- Store the product and accessories in a dry and safe place indoors.

SETUP INSTRUCTIONS

80PO

LONG TERM STORAGE

- Make sure the filter pump is turned off and disconnect the power cord from the electrical outlet.
- Using the Set-Up instructions in reverse, disassemble the Floating Surface Skimmer.
- 3. Clean and air dry all the accessories and parts thoroughly.
- **4.** The original packaging can be used for storage. Store in a dry, cool storage location.

GENERAL AQUATIC SAFETY

Water recreation is both fun and therapeutic. However, it involves inherent risks of injury and death. To reduce your risk of injury, read and follow all product, package and package insert warnings and instructions. Remember, however, that product warnings, instructions and safety guidelines cover some common risks of water recreation, but do not cover all risks and dangers.

For additional safeguards, also familiarize yourself with the following general guidelines as well as guidelines provided by nationally recognized Safety Organizations:

- Demand constant supervision. A competent adult should be appointed as a "lifeguard" or water watcher, especially when children are in and around the pool.
- · Learn to swim.
- · Take the time to learn CPR and first aid.
- Instruct anyone who is supervising pool users about potential pool hazards and about the use of protective devices such as locked doors, barriers, etc.
- Instruct all pool users, including children what to do in case of an emergency.
- Always use common sense and good judgement when enjoying any water activity.
- · Supervise, supervise, supervise.

For additional information on safety, please visit

- The Association of Pool and Spa Professionals: The Sensible Way to Enjoy Your Aboveground/Onground Swimming Pool www.nspi.org
- American Academy of Pediatrics: Pool Safety for Children www.aap.org
- · Red Cross www.redcross.org
- · Safe Kids www.safekids.org
- Home Safety Council: Safety Guide www.homesafetycouncil.org
- Toy Industry Association: Toy Safety www.toy-tia.org

SAFETY IN YOUR POOL

Safe swimming depends on constant attention to the rules. The "NO DIVING" sign within this manual can be posted near your pool to help keep everyone alert to the danger. You may also wish to copy and laminate the sign for protection from the elements.

80PO

| COUNTRIES/REGIONS | SERVICE CENTER LOCATIONS | |
|--|--|--|
| UNITED STATES CANADA | INTEX RECREATION CORP. 1665 Hughes Way Long Beach, CA 90801 Tel: 1-800-234-6839 Fax: 310-549-2900 Website: www.intexcorp.com (U.S./Canada only) Consumer Service Hours: 8:30 am to 5:00 pm Pacific Time, Mon. thru FRI. only. | |
| • MEXICO | KAY INTERNACIONAL, S.A. DE C.V. SAN JERONIMO # 550- INT.501 Y 502. COL. JARDINES DEL PEDREGAL. C.P. 01900 MÉXICO D.F. Tel: 01-800-347-4020 (Collect Call) Tel: 55-9172-8035 Fax: 55-9172-8047 E-mail: servicenter@kayinternacional.com Website: www.intexmexico.com.mx | |
| PANAMA PARAGUAY CCUADOR HONDURAS EL SALVADOR NICARAGUA | SUPRO MUNDIAL S.A./ PRODUCTOS SUPERIORES S.A. Boulevard Andrews, Albrook, Panama, Rep. of Panama Tel: 507-300-3800 Fax: 507-300-3813 E-mail: suproadmin@supropanama.com | |
| COSTA RICA DOMINICAN REPUBLIC GUATEMALA COLOMBIA VENEZUELA | CENTURY USA, LLC 4731 W. Atlantic Ave., Suite B-3 Delray Beach, FL 33445, USA Tel: 561-495-0648 Fax: 561-495-4782 E-mail: sales@centuryusa.com | |
| • MIDDLE EAST REGION | FIRST GROUP INTERNATIONAL AI Moosa Group Building, 1st Floor, Office 102 & 103, UMM Hurair Road, Karama, Dubai, UAE TEL: 00971-4-800INTEX(46839) / +971-4-3373322 FAX: 00971-4-3375115 E-mail: intex@firstgroupinternational.com. Website: www.firstgroupinternational.com | |
| • ASIA | INTEX DEVELOPMENT CO. LTD. 9th Floor, Dah Sing Financial Centre 108 Gloucester Road, Wanchai, Hong Kong Tel: 852-28270000 Fax: 852-23118200 E-mail: xmservicesupport@intexcorp.com.cn Website: www.intexdevelopment.com | |
| For answers to most frequently asked questions, please visit WWW.intexcorp.com. Non U.S. Residents, please visit WWW.intexdevelopment.com. | | |





For Residents of the U.S. & Canada: INTEX RECREATION CORP.

Attn: Consumer Service

1665 Hughes Way

Long Beach, CA 90801 Phone: 1-800-234-6839

Fax: (310) 549-2900

Consumer Service Hours: 8:30 am to 5:00 pm Pacific time Monday thru Friday only Website: www.intexcorp.com

For Residents outside of the U.S. and Canada: Please refer to the Service Center Locations

©2011 Intex Marketing Ltd. - Intex Development Co. Ltd. - Intex Trading Ltd. - Intex Recreation Corp. All rights reserved/Tous droits réservés/Todos los derechos reservados/Alle Rechte vorbehalten. Printed in China/Imprimé en Chine/Impreso en China/Gedruckt in China.

®™ Trademarks used in some countries of the world under license from/®™ Marques utilisées dans certains pays sous licence de/Marcas registradas utilizadas en algunos países del mundo bajo licencia de/Warenzeichen verwendet in einigen Ländern der Welt in Lizenz von/Intex Marketing Ltd. to/â/a/an Intex Trading Ltd., Intex Development Co. Ltd., G.P.O Box 28829, Hong Kong & Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801 • Distributed in the European Union by/Distribué dans l'Union Européenne par/Distribuido en la unión Europea por/Vertrieb in der Europäischen Union durch/Intex Trading B.V., P.O. Box nr. 1075 - 4700 BB Roosendaal - The Netherlands

